



**LONG SERVICE LIFETIMES, BETTER
PRODUCTIVITY: LUTZ BLADES FOR
CARPET AND TEXTILES MANUFACTURERS**



- CUSTOM BLADES
- FILM AND FOIL
- CHEMICAL FIBRES AND FIBREGLASS
- MEDICAL
- FOOD
- DIY
- AUTOMOTIVE
- TEXTILES**

PRECISION. SHARPNESS. SUCCESS.
exactly

Reasons why you need LUTZ BLADES:



PRECISION.

Our maxim is precision – and it is this principle that accompanies every stage from the initial idea to the finished product. Right through to the ideal solution for your specific cutting application to ensure your requirements are met. Throughout every design and development stage and every production step – blade after blade after blade.




SHARPNESS.

We have been making blades and cutters since 1922. From razor-sharp, for extremely fine cutting jobs to extremely robust for impact and pressure cutting actions. Together with the customer, we define all the relevant parameters to ensure your individual requirements are met – to provide greater sharpness and better service lifetimes.

SUCCESS.

exactly

Your competitive advantage when you use blades from LUTZ for cutting applications in the carpet-making and textiles industries is the sum of all our efforts and the details we guarantee you. We are pleased to show you those details because your success is our objective – from the first to the millionth blade.



LUTZ REPLACEMENT BLADES AND LUTZ MACHINE KNIVES STAND OUT DUE TO THESE FEATURES

- » Broad choice of materials
- » Extremely sharp, uniformly ground cutting edges
- » Uncoated and Teflon coated versions (e.g. for plush knives)
- » Degree of hardening and cutting radii designed to match the specific application
- » Blade geometry and cutting edges made to the closest tolerances



CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | AUTOMOTIVE | TEXTILES

LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark symbols LUTZ, which are subject to the provisions of trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)
											
				Coating: Teflon® PTFE							
				Steel hardness: 53 - 56 HRC					Steel hardness: 53 - 56 HRC		
9630.0250	56.0	44.0	0.25	9630.0250-5000	56.0	44.0	0.25	9629.0450	85.0	38.0	0.45
9630.0300			0.30	9630.0300-5000			0.30				
9630.0350			0.35	9630.0350-5000			0.35				
9630.0450			0.45	9630.0450-5000			0.45				
											
				Coating: Teflon® PTFE					Coating: Teflon® PTFE		
				Steel hardness: 60 - 62 HRC					Steel hardness: 53 - 56 HRC		
9632.0250	56.0	44.0	0.25	9632.0250-5000	56.0	44.0	0.25	9629.0450-5000	85.0	38.0	0.45
9632.0300			0.30	9632.0300-5000			0.30				
9632.0350			0.35	9632.0350-5000			0.35				
9632.0450			0.45	9632.0450-5000			0.45				
											
				Coating: Teflon® PTFE							
				Steel hardness: 53 - 56 HRC							
9635.0250	57.5	44.0	0.25	9635.0250-5000	57.5	44.0	0.25	1036.1000	81.0	24.8	1.00
9635.0300			0.30	9635.0300-5000			0.30				
9635.0350			0.35	9635.0350-5000			0.35				
9635.0450			0.45	9635.0450-5000			0.45				

LUTZ PLUSH KNIVES, SELVEDGE CUTTERS AND MACHINE KNIVES FOR CARPET AND TEXTILES MANUFACTURE

Cutting actions in the textiles and carpet industries always have to be efficient while achieving the highest quality standards.

This applies to the production of textile flooring materials and for technical or medical textiles. Many leading plush weavers and manufacturers of technical fabrics have used LUTZ blades successfully for years.







CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | AUTOMOTIVE | TEXTILES







LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.







Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark symbols LUTZ, which consist of a stylized 'L' and 'B' and are all violations against trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
Steel hardness: 60 - 62 HRc			
9636.0250	57.5	44.0	0.25
9636.0300			0.30
9636.0350			0.35
9636.0450			0.45
			
Coating: Teflon® PTFE			
Steel hardness: 60 - 62 HRc			
9636.0250-5000	57.5	44.0	0.25
9636.0300-5000			0.30
9636.0350-5000			0.35
9636.0450-5000			0.45
	39.7	14.4	0.88
9520.0880			
	26.0	15.0	1.80
9521.1800			

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
	50.0	19.0	0.40
1069.0400			
	50.7	18.7	0.50
1251.0500			
1251.0650			0.65
	55.0	18.7	0.65
1281.0650			
	50.4	18.7	0.65
1288.0650			
	51.0	18.8	0.65
1291.0650			
	30.0	18.5	1.25
9525.1250			

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
	25.0	8.1	0.50
9110.0500			
	57.6	12.9	0.15
6025.0150			
	50.0	18.7	0.40
1110.0400			
1110.0500			0.50
1110.0650			0.65
	61.0	18.7	0.65
1020.0650			
	57.5	18.7	0.43
1077.0430			
	58.9	18.7	0.65
1075.0650			

BENEFIT FROM LUTZ BLADES AND KNIVES FOR CARPET AND TEXTILES MANUFACTURE

- » Improved productivity thanks to better blade durability
- » Reducing production downtimes
- » Broad selection of replacement blades
- » Reduction in start-up and end-of-line waste because the fibre does not burn as it is cut
- » Flexibility in the production environment thanks to optimum adaptation to local parameters



CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | AUTOMOTIVE | TEXTILES

LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademarks of LUTZ, which are subject to all provisions of trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
1050.0650	61.0	18.7	0.65

1040.0650	61.0	18.7	0.65
------------------	------	------	------

1035.0430	58.9	18.7	0.43
------------------	------	------	------

0308.0228	39.8	19.5	0.23
------------------	------	------	------

0300.0250	40.0	19.9	0.25
------------------	------	------	------

5097.0884	20.0	19.0	0.88
------------------	------	------	------

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
0520.0150	52.7	22.2	0.15

1000.0400	52.0	18.7	0.40
1000.0500			0.50
1000.0650			0.65

0164.1390	26.0	7.0	1.39
------------------	------	-----	------

0162.1360	33.0	7.0	1.36
------------------	------	-----	------


5055.0884	117.5	15.6	0.88
------------------	-------	------	------

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
9580.1200	60.0	64.0	1.20

Ref.	ø OD (mm)	ø ID (mm)	Thickn. (mm)
0205.1000	100.0	22.0	1.00

CHOICE OF MATERIAL

Our range of products covers blades of between 0.06 and 3.0 mm in thickness and with final hardness ratings of 40 - 85 HRC.



- Our range of materials includes:
- » Carbon steels
 - » Stainless and rust-resistant steels
 - » Highspeed steels (HSS)
 - » Tool steels
 - » Tungsten carbides
 - » Ceramics

LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademarks of LUTZ, in which LUTZ is a distinctive graphic symbol. LUTZ will pursue all violations against trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

CUTTING EDGE SHAPES

For the definition of edge type and bevel configuration see the following matrix:



LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.


Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademarks, symbols, LUTZ logos, which consist of words, graphic symbols, LUTZ logos, which consist of words and graphic symbols. LUTZ will pursue all violations against trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

		single edged	double edged	convex	concave
one sided					
		a	g	m	t
		b	h	n	u
		c	i	o	v
		d	j	p	w
		e	k	r	x
two sided		f	l	s	y

COATINGS



LUTZ allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the internationally registered trademark symbols LUTZ, which are the basis of our trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at www.lutz-blades.com.

The LUTZ coatings range includes the following choices:

TiN

Standard hard coating with tough resistance to wear with a relatively high coefficient of friction (compared with steel as a reference material: 0.4 to 0.7), usually gold coloured, safe use at up to approx. 300 °C.

TiC

Has lower resistance to wear than TiN and a considerably lower coefficient of friction (compared with steel as a reference material: 0.3 to 0.5), usually charcoal grey.

TiCN

Takes a position between the high wear resistance of TiN and the low coefficient of friction of TiC, relative position between TiN and TiC depending on C and N content, usually charcoal grey.

TiAlN

Has greater resistance to oxidation than TiN with a comparable coefficient of friction, usually charcoal grey.

ZrN

With wear resistance similar to TiN, but with a more dense morphology than TiN and, as a result, more resistant to pitting under comparable load, usually steel colour.

CrN

Lower wear resistance than TiN. The advantage of CrN is it has a lower inherent tension than TiN. As a result, can be used for applications with high bending loads.

DLC

Has a high wear resistance and a low coefficient of friction (approx. 0.4 compared with steel as a reference); sensitive to impacts and high temperatures (between 100° and 300 °C depending on structure).

Teflon® (PTFE)

Non-stick coating Teflon® (PTFE), very low static friction allows a smooth cut, therefore a popular coating for medical devices. Because of the low surface tension almost no contamination from the cut goods. Acid and base-resistant, not suitable in combination with Na (sodium). Temperature resistant up to 250°C (480°F). Medium wear resistance.

Coloured lacquer

Applied to entire surface, acts as an aid to sorting different material thicknesses and as anticorrosion protection.

Blueing and blackening

Applied to entire surface, some anticorrosion protection and thickness protection, also aids differentiation.