

**CUT MORE COST-EFFECTIVELY WITH
LUTZ BLADES MACHINE KNIVES AND BLADES
DESIGNED FOR THE FOODS INDUSTRY**



CUSTOM BLADES

FILM AND FOIL

CHEMICAL FIBRES AND FIBREGLASS

MEDICAL

FOOD

DIY

AUTOMOTIVE

TEXTILES

PRECISION. SHARPNESS. SUCCESS.
exactly

Reasons why you need LUTZ BLADES:



PRECISION.

Our maxim is precision – and it is this principle that accompanies every stage from the initial idea to the finished product. Right through to the ideal solution for your specific cutting application to ensure your requirements are met. Throughout every design and development stage and every production step – blade after blade after blade.




SHARPNESS.

We have been making blades and cutters since 1922. From razor-sharp, for extremely fine cutting jobs to extremely robust for impact and pressure cutting actions. Together with the customer, we define all the relevant parameters to ensure your individual requirements are met – to provide greater sharpness and better service lifetimes.

SUCCESS. exactly

Your competitive advantage when you use blades from LUTZ BLADES in food-processing is the sum of all our efforts and the details we guarantee you. We are pleased to show you those details because your success is our objective – from the first to the millionth blade.



SKINNING AND DERINDING BLADES, MEMBRANE SKINNING BLADES AND RECIPROCATING KNIVES FOR PROCESSING MEAT

Excellent skinning and derinding blades, membrane skinning blades and reciprocating knives improve the efficiency of your meat processing business and the quality of the product.

In this field, LUTZ BLADES has been a world market leader for years. Our skinning and derinding blades

and membrane skinning blades are used for processing beef, pork and lamb. Available in many different sizes and for all standard machine types, e.g.: Grasselli*, Maja*, Weber*, Cretel*, Steen*, Nock* and Townsend*.



CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | **FOOD** | DIY | AUTOMOTIVE | TEXTILES

LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ BLADES website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found here. This applies in particular to the use of any registered trademark symbols, logos or marks which are used in connection with the brandnames LUTZ BLADES and its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at: www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
3015.1000	variable	20.0	1.00
3068.1000		22.0	0.70
3069.0700			1.00
3062.1000			
3101.1000		25.0	0.70
3031.0700		20.0	1.00
3087.1000			

3016.0700	variable	22.0	0.70
------------------	----------	------	------

3155.0700	517.0	22.0	0.70
------------------	-------	------	------

2900.0500	variable	10.0	0.50
2900.0350			0.35

2901.0500	variable	16.0	0.50
------------------	----------	------	------

2902.0500	variable	10.0	0.50
------------------	----------	------	------

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
7191.0700	95.3	22.0	0.69
3019.0700	77.0	22.0	0.70
3079.0600	460.0	12.5	0.60

3410.0500	40.0	variable	0.50
------------------	------	----------	------

3089.0700	variable	22.0	0.70
3143.1000		20.0	1.00
3148.0700		22.0	0.70

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
7190.0700	95.2	22.0	0.70

3023.0700	variable	22.0	0.70
3078.0700			
3026.1000	variable	20.0	1.00

3070.0700	120.0	22.0	0.70
------------------	-------	------	------

REPLACEMENT BLADES AND MACHINE KNIVES BY LUTZ BLADES FOR THE FOOD PROCESSING INDUSTRY

Cutting processes in the food processing industry make the highest demands on efficiency and quality. This applies not only to beef and pork but also to poultry, fish, vegetables and crisps. In this field,

LUTZ BLADES manufactures a wide range of replacement blades and machine knives and has successfully worked with several leading enterprises worldwide for many years.



CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | **FOOD** | DIY | AUTOMOTIVE | TEXTILES






LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.






Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ BLADES website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the use of registered trademarks and symbols of LUTZ BLADES which are used in violation of trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at: www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
1005.0400	52.0	18.7	0.40
1005.0500			0.50
1005.0650			0.65
			
1022.0884	61.0	18.7	0.88
			
1256.0500	48.2	18.7	0.50
1256.0650			0.65
			
1705.0400	80.0	9.1	0.40
			
1700.0400	80.0	9.1	0.40
			
1300.0650	58.9	18.7	0.65

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
1010.0400	52.0	18.7	0.40
1010.0500			0.50
1010.0650			0.65
			
1250.0500	50.7	18.7	0.50
1250.0630			0.63
1250.0650			0.65
			
1267.0650	50.7	18.7	0.65
1267.0500			0.50
			
2011.0500	100.0	17.7	0.50
			
1063.0650	61.6	12.5	0.65

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
			
1000.0400	52.0	18.7	0.40
1000.0500			0.50
1000.0650			0.65
			
1251.0650	50.7	18.7	0.65
1251.0500			0.50
			
0420.0100	43.0	22.0	0.10
0420.0150			0.15
0420.0200			0.20
0420.0300			0.30
			
2000.0500	100.0	17.7	0.50
			
1064.0650	61.6	12.5	0.65

THIS IS HOW YOU CAN BENEFIT FROM REPLACEMENT BLADES AND MACHINE KNIVES BY LUTZ BLADES

- » Greater productivity thanks to fewer blade changes
- » High cutting volumes and less scrap
- » Lower process costs due to reduced production downtimes
- » Batch traceability thanks to blade identification
- » Flexibility through the implementation of special requirements



CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | FOOD | DIY | AUTOMOTIVE | TEXTILES


LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ BLADES website are subject to copyright and our proprietary rights.


Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the use of registered trademarks and symbols of LUTZ BLADES which may lead to confusion. LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at: www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
------	-------------	------------	--------------




1765.0380	41.0	19.0	0.38
-----------	------	------	------




1766.0380	40.0	19.0	0.38
-----------	------	------	------

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
------	-------------	------------	--------------



0220.0300	39.5	22.2	0.30
-----------	------	------	------




2530.0600	31.0	9.0	0.60
-----------	------	-----	------



2525.0300	33.3	7.8	0.30
-----------	------	-----	------

Ref.	Length (mm)	Width (mm)	Thickn. (mm)
------	-------------	------------	--------------




2511.0127	107.7	18.9	0.13
-----------	-------	------	------



2514.0127	107.5	18.9	0.13
-----------	-------	------	------



2517.0127	107.5	18.9	0.13
-----------	-------	------	------




2510.0200	106.6	18.9	0.20
-----------	-------	------	------



2580.0200	105.9	14.3	0.20
-----------	-------	------	------




2581.0200	103.8	9.4	
-----------	-------	-----	--




2582.0200	99.8	14.2	
-----------	------	------	--




2512.0127	107.5	18.8	0.13
-----------	-------	------	------



3022.0870	114.3	23.5	0.87
-----------	-------	------	------



2500.0380	106.5	18.9	0.38
-----------	-------	------	------



2501.0380	132.0		
-----------	-------	--	--



2500.0380	106.5	18.9	0.38
-----------	-------	------	------



2501.0380	132.0		
-----------	-------	--	--

REPLACEMENT BLADES AND MACHINE KNIVES BY LUTZ BLADES STAND OUT DUE TO THESE FEATURES

- » Highest quality materials
- » Best cutting edge machining (e.g. broad chamfer)
- » Hardness is designed to match the application
- » High-performance coatings
- » Blade identification / batch tracking









CUSTOM BLADES | FILM AND FOIL | CHEMICAL FIBRES AND FIBREGLASS | MEDICAL | **FOOD** | DIY | AUTOMOTIVE | TEXTILES

LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ BLADES website are subject to copyright and other proprietary rights.


Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the use of registered trademarks, logos or marks of any kind which may lead to confusion with the brandnames, logos or marks of LUTZ BLADES. LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at: www.lutz-blades.com.

Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)	Ref.	Length (mm)	Width (mm)	Thickn. (mm)
	4020.0400	101.8	13.9	0.40		0852.0150	118.0	22.2	0.15		
	3077.0686	516.0	25.0	0.69							
	3053.1000	499.0	20.0	1.00							
	3027.0700	445.0	22.0	0.70							
	5076.0884	120.0	19.0	0.88							
	8948.0500	126.0	50.0	0.50							

CHOICE OF MATERIAL

Our range of products covers blades of between 0.06 and 3.0 mm in thickness and with final hardness ratings of 40 - 85 HRc.



Our range of materials includes:

- » Carbon steels
- » Stainless and rust-resistant steels
- » Highspeed steels (HSS)
- » Tool steels
- » Tungsten carbides
- » Ceramics

LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ BLADES website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the use of brandnames, logos or marks of LUTZ BLADES which are registered trademarks, symbols, LUTZ BLADES which pursue all violations against trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at: www.lutz-blades.com.

CUTTING EDGE SHAPES

For the definition of edge type and bevel configuration see the following matrix:













LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ BLADES website are subject to copyright and other proprietary rights.


Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the registered trademark symbols LUTZ BLADES, LUTZ BLADES exactly and the LUTZ BLADES logo, which are trademarks and symbols of LUTZ BLADES and which will pursue all violations against trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at: www.lutz-blades.com.

		single edged	double edged	convex	concave
one sided					
		a	g	m	t
		b	h	n	u
		c	i	o	v
two sided		d	j	p	w
		e	k	r	x
		f	l	s	y

COATINGS

Sharpness
Quality of the cut



The LUTZ BLADES coatings range includes the following choices:

TiN

Standard hard coating with tough resistance to wear with a relatively high coefficient of friction (compared with steel as a reference material: 0.4 to 0.7), usually gold coloured, safe use at up to approx. 300 °C.

TiC

Has lower resistance to wear than TiN and a considerably lower coefficient of friction (compared with steel as a reference material: 0.3 to 0.5), usually charcoal grey.

TiCN

Takes a position between the high wear resistance of TiN and the low coefficient of friction of TiC, relative position between TiN and TiC depending on C and N content, usually charcoal grey.

TiAlN

Has greater resistance to oxidation than TiN with a comparable coefficient of friction, usually charcoal grey.

ZrN

With wear resistance similar to TiN, but with a more dense morphology than TiN and, as a result, more resistant to pitting under comparable load, usually steel colour.

CrN

Lower wear resistance than TiN. The advantage of CrN is it has a lower inherent tension than TiN. As a result, can be used for applications with high bending loads.

DLC

Has a high wear resistance and a low coefficient of friction (approx. 0.4 compared with steel as a reference); sensitive to impacts and high temperatures (between 100° and 300 °C depending on structure).

Teflon[®] (PTFE)

Non-stick coating Teflon[®] (PTFE), very low static friction allows a smooth cut, therefore a popular coating for medical devices. Because of the low surface tension almost no contamination from the cut goods. Acid and base-resistant, not suitable in combination with Na (sodium). Temperature resistant up to 250°C (480°F). Medium wear resistance.

Coloured lacquer

Applied to entire surface, acts as an aid to sorting different material thicknesses and as anticorrosion protection.

Blueing and blackening

Applied to entire surface, some anticorrosion protection and thickness protection, also aids differentiation.

LUTZ BLADES allows access to all its website content for viewing purposes. Copying and reproducing content (copy, images etc.) for anything more than transient use is not permitted. This content may not be modified or used on other websites or networked computers without prior written approval by LUTZ GmbH & Co. KG.

Copyright: © COPYRIGHT LUTZ GmbH & Co. KG, Solingen, Germany. All rights reserved. Copy, photos, graphics, technical drawings, layouts and other information used in all our publications and their arrangements on our LUTZ BLADES website are subject to copyright and other proprietary rights.

Proprietary rights: The owner of the brandnames used by LUTZ BLADES is LUTZ GmbH & Co. KG, Solingen, Germany (unless otherwise stated). Third Parties are explicitly prohibited from using any of the brandnames, logos or marks of any kind found there. This applies in particular to the use of registered trademarks, trade names, symbols, LUTZ BLADES and other marks and symbols which LUTZ BLADES will pursue all violations against trademark law regarding its trademarks.

E & OE. Brandnames marked with an asterisk (*) are not owned by LUTZ GmbH & Co. KG. Subject to our general terms & conditions on the Internet at: www.lutz-blades.com.